



#### HYDRAULIC SCISSOR LIFT

# UNI LIFT 6500 & 8000

#### HYDRAULIC FLEXIBILITY



## Access

### THE BEST HYDRAULIC SCISSOR LIFT FOR CARS, SUVS AND VANS

- ✓ Long runways up to 6000 mm
- ✓ Hydraulic synchronization system and mechanical locks
- ✓ High performance oil-submerged motor

6500 KG | 8000 KG





#### HYDRAULIC SCISSOR LIFT

# UNI LIFT 6500 & 8000

#### The highest safety for cars, SUVs and vans

Long-lasting and safe, the UNI LIFT 6500 and 8000 feature a hydraulic synchronization system combined with a mechanical lock. Practical and space saving, with numerous options: the UNI LIFT is your best investment for heavy vehicles repairs, wheel alignment (UNI LIFT 6500 only) and more.

#### Wide range of vehicles


- ✓ Passenger cars
- ✓ Commercial vans / transporters
- ✓ Light trucks

#### Safety

- ✓ Hydraulic synchronization system guarantees synchronization of scissor units, mechanical locks serve as an additional security device
- ✓ High performance oil-submerged power unit ensures a quiet operation and short lifting and lowering times

#### UNI LIFT 6500 AND 8000 TAKES CARE OF YOUR CARS, TRANSPORTERS AND LIGHT TRUCKS









#### **Numerous options and accessories**

- Joint play detector
- Lighting integrated in the runways
- Hydraulic axle jack in different weight classes



#### **YOUR UNIQUE ADVANTAGES**

- Always precise
- Runway can be equipped with recesses for turntables and sliding plates for wheel alignment (UNI LIFT 6500)
- Low construction height and short drive-on ramps
- Long and wide runways for easy and safe access



#### THE UNI LIFT ADAPTS TO YOUR NEEDS

#### **ACCESSORIES**

UNI LIFT	6500	8000
Lifting capacity (kg)	6500	8000
Lifting/lowering time approx. (sec)	40/40	40/40
Lifting height (mm)	1877/1927*	18 <i>77</i>
Drive-on hight platform (mm)	215	215
Runway width (mm)	788	788
Runway length (mm)	5500	6000
Total width (mm)	2526	2526
Total length over floor (mm)	6780	7270
Power supply (V/Hz)	400/50	400/50
Motor (kW)	3	3





Jax 4000



Lighting tubes LED



\* UNI LIFT 6500 AMS: 1927 mm

JAX	2000	2600	4000
Lifting capacity (kg)	2000	2600	4000
Stroke (mm)	250	250	250
Telescopic arms (mm)	780 -1610	780 -1610	780 -1500
Width (÷ support arms) (mm)	780 -1180	780 -1180	780 -1220
Air supply (bar)	8,5 -12	8,5 -12	8,5 -12



Sliding plate for alignment



Play detector with remote control

**More accessories** available

Techn. changes and errors excepted. | Valid from 05 2017 © Otto Nussbaum GmbH & Co. KG | Korker Strasse 24 | 77694 Kehl-Bodersweier | Germany Tel.: +49 (0) 7853 899 – 0 | Fax: +49 (0) 7853 8787 | info@nussbaum-group.de | nussbaum-group.de





